

MATERIAL GRADE DATA SHEET

ASTM A 193 Gr.B8LNA



BOLTING MATERIAL FOR LOW TEMPERATURE SERVICE

ASTM A193 Gr.B8LNA are manufactured from AISI 304 Stainless Steel carbide solution treated with Strain Hardening. ASTM A 193 Gr.B8LNA Bolts are also called B8 Stainless Steel bolts, B8 Bolts Etc. 8-8 Grade stainless, non magnetic, good corrosion resistance. Same material as AISI type 304 stainless steel. Stainless steel grade 304 is the most commonly used stainless steel. Stainless steel grade 304LN is a nitrogen-strengthened version of stainless steel grade 304.

Chemical Properties

	С	Si	Mn	P	S	Cr	Ni	N
Г	0.030 Max	1.00 Max	2.00 Max	0.045 Max	0.030 Max	18.0-20.0	8.0-11.0	0.10-0.16

Mechanical Properties

Yeild strength	Tensile strength	Elongation	Reduction	Hardness
Min 0.2% Mpa	Min 0.2% Mpa Min Mpa		Min %	HRB Max
205	515	30	50	192

Heat Treatment

Carbide Solution Treated in the finished condition.

Equivalent Designation

UNS S30453 EN DIN X2CrNiN18-10 Werkstoff.No. 1.4311 SS304LN

CUSTOMER ASSISTANCE : customer@TorqBolt.com

Email:info@TorqBolt.com Web: www.TorqBolt.com

Copyright 2013 Torqbolt Inc.

#4/217, Deccan Bank Bldg, R. R. Roy Road, Mumbai – 400 004, Maharashtra, INDIA